

PTO/SB/08A (10-01)

Approved for use through 10/31/2002.OMB 0651-0031

U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE eduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO				Complete if Known			
Subsi	itate for form 1443201	.0		Application Number	09/942,336)33	
IN	FORMATIC	ON DI	SCLOSURE	Filing Date	August 29, 2001	40 43	
STATEMENT BY APPLICANT				First Named Inventor	Tetsuo Ashizawa	空。	
•	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			Art Unit	1637	世	
	(use as many	sheets as	necessary)	Examiner Name	Hashemi, Shar S.	Terrasporela	
heet	1	of	3	Attorney Docket Number	HO-P02039US1	90	

	U.S. PATENT DOCUMENTS								
Examiner Initials*		Cite	Document Number	Publication Date	Name of Patentee or Applicant	Pages, Columns, Lines, Where Relevant			
		No.1	Number-Kind Code ² (if known)	MM-DD-YYYY	of Cited Document	Passages or Relevant Figures Appear			
7.7	A	A	U.S. 5,853,995	12-29-1998	Lee; Cheng-Chi				
	AI	B/	U.S. 5,840,491	11-24-1998	Kakizuka; Akira				
	A	9	U.S. 5,834,183	11-10-1998	Orr; Harry T; Ranum; Laura P. W.; Chung; Ming-yi; Zoghbi; Huda Y.	, , , , , , , , , , , , , , , , , , ,			
17	Αl	D/	U.S. 5,981,185	11-09-1999	Matson et al.				

FOREIGN PATENT DOCUMENTS							
Examiner Initials*	0.1-	Foreign Patent Document	Publication Date	Name of Patentee or	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear		
	Cite No. ¹	Country Code ³ -Number ⁴ -Kind Code ⁵ (if known)	MM-DD-YYYY	Applicant of Cited Document		T ⁶	
						<u> </u>	

¹Applicant's unique citation designation number (optional). ² See attached Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the application number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.

		OTHER PRIOR ART – NON PATENT LITERATURE DOCUMENTS					
Examiner Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc), date, page(s), volume-issue number(s), publisher, city and/or country where published.					
7.5	CA /,	Timchenko, LT and Caskey, CT; Trinucleotide repeat disorders in humans: discussions of mechanisms and medical issues; FASEB J., Dec. 1996, pp. 1589-1597; vol. 10(14).					
	CB .	Burgess, DL, Matasuura, T., Ashizawa, T., Noebels, JL; Genetic localization of the Ca2+ channel gene CACNG2 near SCA10 on chromosome 22q13; Epilepsia, Jan. 2000, pp. 24-27; vol. 14(1).					
	CC/.	Silveira, I. Alonso, I., Guimaraes, L., et al. High germinal instability of the (CTG)n at the SCA8 locus of both expanded and normal alleles; Am. J. Hum. Genet., 2000, pp. 830-840; vol. 66.					
	CD /.	Zu, L., Figueroa, K.P., Grewal, R., Pulst, SM. Mapping of a new autosomal dominant spinocerebellar ataxia to chromosome 22; Am. J. Hum. Genet. 1999, pp. 594-599, vol. 64.					
	CE ,	Matsuura, T., Achari, M., Khajavi, M., Bachinski, L.L., Zoghbi, H., Ashizawa, T. Mapping of the gene for a novel spinocerebellar ataxia with pure cerebellar signs and epilepsy; Ann. Neurol., 1999, pp. 407-411.					
	CF /	Matsuura, T., Watase, K., Nagamitsu, S., Zoghbi, H.Y., and Ashizawa, T. Fine mapping of the spinocerebellar ataxia type 10 region and search for a polyglutamine expansion; Ann. Neurol. September 1999; p. 480; vol. 46(3).					
	cg /,	Pujana, M.A., Corral, J., Gratacos, M. et al., Spinocerebellar ataxias in Spanish patients: genetic analysis of familiar and sporadic cases; Hum. Genet. 1999, pp. 516-522; vol. 104.					
Į	CHY	Giunti, P., Stevanin, G., Worth, P.F., et al. Molecular and clinical study of 18 families with ADCA Type II: evidence for genetic heterogeneity and de novo mutation; Am. J. Hum. Genet. 1999, pp. 1594-1603, vol. 64.					
	cı /	Worth, P.F., Giunti, P., Gardner-Thorpe, C., et al. Autosomal dominant cerebellar ataxia Type III: linkage in a large British family to a 7.6-cM region on chromosome 15q14-21.3; Am. J. Hum. Genet., 1999, pp. 420-426, vol. 65.					
TS	C1√¹	Ishikawa, K., Mizusawa, H., Saito, M., Tanaka, H., et al. Autosomal dominant pure cerebellar ataxia. A clinical and genetic analysis of eight Japanese families. Brain 1996, pp. 1173-1182, vol. 119 (Pt. 4).					
	СК	Cedars-Sinai scientists localize new ataxia/epilepsy gene; February 17, 1999;					

FEB 0 4 2003

RECEIVED
FEB 0 6 2003
TECH CENTER 660 2900
Approved for use through 10/31/2002 OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE and to a collection of information unless it contains a valid OMB control number.

Under the Paperwork Reduction Act of 1995.

Su	ubstitute for form 1449	AAL		Complete if Known		
	_			Application Number	09/942,336	
11	NFORMATION	اD ۷	SCLOSURE	Filing Date	August 29, 2001	
5	STATEMENT	BY A	APPLICANT	First Named Inventor	Tetsuo Ashizawa	
				Group Art Unit	1637	
	(use as many sh	eets as	necessary)	Examiner Name	Hashemi, Shar 8. Teera Strele	
Sheet	2	of	3	Attorney Docket Number	HO-P02039US1	

	~~		http://eurekalert.org/releases/cs-css021999.html	
		CL	Biros, I., Forrest, S.M. Duplex PCR for autosomal dominant spinocerebellar ataxia testing: A	
1 .		 	nenradioactive rapid screening method; Molecular Diagnosis;	i
L		1	http://www.wbsaunders.com/MoleDiag/abs/abs3_4/00300223.html	
	<u>~</u>	CM	Klockgether, T., Wullner, U., Spauschus, A., and Evert, B; The molecular biology of the	
	1)		autosomal-dominant cerebellar ataxias; Mov. Disord. 2000, pp. 604-612, vol. 15(4).	
	i	CN C	David, G. et al. Cloning of the SCA7 gene reveals a highly unstable CAG repeat expansion;	
		1 0	Nature Genet. 1997, pp. 65-70, vol. 17.	
	\top	co,	Holmes, S.E. et al. Expansion of a novel CAG trinucleotide repeat in the 5' region of PPP2R2B	
	- 1	1	lis associated with SCA12: Nature Genet 1999, no. 301-302, vol. 23	
	_	CP V	Imbert, G. et al. Cloning of the gene for spinocerebellar ataxia 2 reveals a locus with high	
	1	\ \alpha_*	sensitivity to expanded CAG/glutamine repeats. Nature Genet. 1996, pp. 285-291, vol. 14.	
	1	CQ	Kawaguchi, Y. et al. CAG expansions in a novel gene for Machado-Joseph disease at	\dashv
	1	70	chromosome 14q32.1. Nature Genet. 1994, pp. 221-228, vol. 8.	
	1	CR /	Orr H.T. et al., Expansion of an unstable trinucleotide CAG repeat in spinocerebellar ataxia	
		l V	type 1. Nature Genet. 1993, pp. 221-226, vol. 4.	[
		cs /	Pulst S.M. et al., Moderate expansion of a normally biallelic trinucleotide repeat in	
1	1	/ V.	spinocerebellar ataxia type 2. Nature Genet 1996, pp. 269-276, vol. 14.	ı
		CT (/	Nakamura K. et al. SCA17, a novel autosomal dominant cerebellar ataxia caused by an	\dashv
1	1 1	- U	expanded polyglutamine in TATA-binding protein. Hum. Mol. Genet. 2001, pp. 1441-1448, vol.	
1 1			10.	- 1
П		CU	Sanpei K. et al. Identification of the spinocerebellar ataxia type 2 gene using a direct	\dashv
1 1		\(\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	identification of repeat expansion and cloning technique, DIRECT. Nature Genet. 1996, pp.	
		V	277-284, vol. 14.	
1	,	CV	Zhuchenko O. et al. Autosomal dominant cerebellar ataxia (SCA6) associated with small	\neg
1	5	V 1	polyglutamine expansions in the alpha 1A-voltage-dependent calcium channel. Nature Genet.	
L`			1997, pp. 62-69, vol. 15.	- 1
		CW	Matsuura T, Yamagata T, Burgess DL, Rasmussen A, Grewal RP, Watase K, Khajavi M, Zu L,	_
!		•]	Pulst SM, Alonso E, Noebels JL, Nelson DL, Zoghbi HY, Ashizawa T. Large expansion of	1
li	21	レー	ATTCT pentanucleotide repeat in spinocerebellar ataxia type 10. Ann Neurol 2000;48:416.	Ħ
	1]	Presented at the Plenary Session of the 125th American Neurological Association Annual	- 1
<u> </u>			Meeting, 2000. Abstract Stubmission Laxed 7/15/0.3	- 1
l		CX	Matsuura T, Burgess DL, Yamagata T, Rasmussen A, Grewal RP, Watase K, Tsuji K, Khajayi	\neg
1	1 7	1 1	M, MacCall A, Davis, CF, Yescas P, Zu L, Pulst SM, Alonso E, Noebels JL, Nelson DL, Zoghbi l	
`	۱ ۲	\vee	HY, Ashizawa T. Large expansion of ATTCT pentanucleotide repeat in spinocerebellar ataxia	
			type 10 (SCA10). Am J Hum Genet 2000;67:55. Ah short Submission Inved 7/k7	7シー
		CY /	Koob, MD, Moseley ML, Schut, LJ, Benzow, KA, Bird, TD, Day, JW, Ranum, LPW, (An	7
T	1 6	"	untranslated CTG expansion causes a novel form of spinocerebellar ataxia (SCA8). Nat	
			Genet. 1999, 21: 379-384.	
		CZ .	Seltzer, WK, Boss, MA, Vieria-Saecker, A-M, Epplen, JT, Riess, O, Roass, CA, Margolis, RL.	\neg
			Expansion of a novel CAG trinucleotide repeat in the 5' region of PPP2R2B is associated with	+
			SCA12. Nat. Genet. 1999, 23:391-392.	[
	_ [DA	Ashizawa T, Matsuura T, Rasmussen A, Grewal RP, Zu L, Pulst SM, Pandolfo M, Sasaki H,	\neg
15	$S \perp$		Volpini V, Yamagata T, Watase K, Burgess DL, Inoue K, Yescas P, Nagamitsu S, Momoi MY,	
1,	_		Tashiro K, Zoghbi HY, Alonso E, Nelson DL. Founder effect of the spinocerebellar ataxia type	
			10 mutation in the Mexican population. Am J. Hum Genet 2000;67:373. H6 Stroct Submit	175
			raxed fill	rra

5)

رد.

Examiner

Signature

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Date

Considered

Strelectea

leresa